



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/693,231

10/23/2003

Tomokazu Kake

81659 [SC-70004US]

1421

22242 7590 02/02/2009
FITCH EVEN TABIN AND FLANNERY
120 SOUTH LASALLE STREET
SUITE 1600
CHICAGO, IL 60603-3406

EXAMINER

BROOME, SAID A

ART UNIT

PAPER NUMBER

2628

MAIL DATE

DELIVERY MODE

02/02/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/693,231	Applicant(s) KAKE ET AL.	
	Examiner SAID BROOME	Art Unit 2628	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 November 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14, 17, 22 and 24-41 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 4-14, 27, 29, 31, 33, 35 and 40 is/are allowed.
- 6) ☒ Claim(s) 1-3, 17, 22, 24-26, 28, 32, 34, 36-39 and 41 is/are rejected.
- 7) ☒ Claim(s) 30 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. This office action is in response to an amendment filed on 11/13/2008.
2. Claims 17, 22, 24 and 41 have been amended by the applicant.
3. Claims 1-14 and 25-40 are original.
4. Claims 15, 16, 18-21, 23 and 42 have been cancelled.

Allowable Subject Matter

The indicated allowability of claims 1-3 are withdrawn in view of the rejection under 35 U.S.C. 101, as described in the office action below.

In regards to claim 30, Seki and Fels do not teach that the attribute value is a value that indicates the order of approximation relative to a desired image pattern, therefore claim 30 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 4-14, 27, 29, 31, 33, 35 and 40 are allowed. The following is an examiner's statement of reasons for allowance:

The prior art, Seki (JP 09-035040), does not teach the limitations of claim 4. In regards to claim 4, Seki describes original moving pictures as two-dimensional images that vary along time axis, and when the moving pictures are expressed, in a virtual manner, as a box space formed by the two-dimensional images and the time axis, cutting the box space by a surface that contains a plurality of points each of which differs from the other in time value (¶0011 lines 5-9: "...there is a time axis (T-axis) perpendicular to both X-axis and Y-axis, by setting the images along this

Art Unit: 2628

axis, it is possible to construct the three-dimensional image shown in Fig. 3, that is, time-space image $I(x, y; t)$. In step SP2, said time-space image $I(x, y; t)$ is cut by a plane parallel to the time axis, and the image appearing on the cut plane is taken as cross-sectional image...“, Fig. 3) and varying the cut surface in time (§0010 lines 4-5: “...*the cross-section of the time-space image taken by a plane parallel to the time axis.*”). However, none of the prior art teaches or suggests projecting a first image that appears on the cut surface onto a first plane perpendicular to the time axis, projecting a second image that appears on the varied cut surface onto a second plane perpendicular to the time axis, and outputting the first and second images appearing on the first and second planes as new moving pictures, therefore claims 4-14, 27, 29, 31, 33 and 35 are allowable.

The prior art, Seki (JP 09-035040), does not teach the limitations of claim 40. In regards to claim 40, Seki teaches original moving pictures as two-dimensional images that vary along time axis, and when the moving pictures are expressed, in a virtual manner, as a box space formed by the two-dimensional images and the time axis, cutting the box space by a surface that contains a plurality of points each of which differs from the other in time value (§0011 lines 5-9: “...*there is a time axis (T-axis) perpendicular to both X-axis and Y-axis, by setting the images along this axis, it is possible to construct the three-dimensional image shown in Fig. 3, that is, time-space image $I(x, y; t)$. In step SP2, said time-space image $I(x, y; t)$ is cut by a plane parallel to the time axis, and the image appearing on the cut plane is taken as cross-sectional image...*“, Fig. 3) and varying the cut surface in time (§0010 lines 4-5: “...*the cross-section of the time-space image taken by a plane parallel to the time axis.*”). However, none of the prior art teaches or suggests projecting a first image that appears on the cut surface onto a first plane

Art Unit: 2628

perpendicular to the time axis, projecting a second image that appears on the varied cut surface onto a second plane perpendicular to the time axis, and outputting the first and second images appearing on the first and second planes as new moving pictures, therefore claim 40 is allowable.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 1-3 are rejected under 35 U.S.C. 101 as not falling within one of the four statutory categories of invention. While the claims recite a series of steps or acts to be performed, a statutory “process” under 35 U.S.C. 101 must (1) be tied to another statutory category (such as a particular apparatus), or (2) transform underlying subject matter (such as an article or material) to a different state or thing. The instant claims neither transform underlying subject matter nor positively tie to another statutory category that accomplishes the claimed method steps, and therefore do not qualify as a statutory process. For instance, claim 1 recites steps such as “expressing pictures that vary along a time axis as a box space”, however the method steps of claim 1 do not require a particular computer or apparatus with which to implement the steps.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 17, 22, 24-26, 28, 32, 34 and 36 are rejected under 35 U.S.C. 102(b) as being anticipated by Seki (JP 09-035040).

Regarding claim 17, Seki describes an image generating method (¶0001 lines 2-3: “...invention pertains to an image processing method...”), including:

reading out, for a first in-picture position of a first image contained in a first target frame in original moving pictures, first data that correspond to the in-picture position (¶0012 lines 1-2 and 6-11: “...a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...This is called trace cross-sectional image $L(s, \theta; t)$, and it is found that this image becomes a place containing the velocity vector of the moving object...This plane completely contains the information pertaining to the movement of the object...”, where a certain region from all the frames is captured, Fig. 4);

synthesizing the first data in a ratio according to an attribute value of the first image (¶0012 lines 1-2 and 8-11: “On said cross-sectional image $C(d, t; \theta)$, a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...this trace cross-sectional image $L(s, \theta; t)$ is an image obtained by cutting said time-space image $I(x, y; t)$ with a helix plane along the movement direction of the object. This plane completely contains the information pertaining to the movement of the object...”, where an attribute value, such as the proportional difference in the position of the object over time, is tracked and presented in a synthesized image that displays the movement of the object over a time interval, Fig. 5);

reading out, for a second in-picture position of a second image contained in a second target frame in the original moving pictures, data that correspond to the second in-picture

Art Unit: 2628

position (¶0011 lines 8-11: “...the image appearing on the cut plane is taken as cross-sectional image C ...plural cross-sectional images $C(d, t; \theta)$ can be obtained...”, in which several projected cross sectional images containing in-picture positions, Fig. 5, may be obtained and appear on the cut surface);

synthesizing the second read-out data in a ratio according to an attribute value of the second image (¶0011 lines 8-11: “...the image appearing on the cut plane is taken as cross-sectional image C ...plural cross-sectional images ...can be obtained...” and ¶0012 lines 1-2 and 8-11: “On said cross-sectional image $C(d, t; \theta)$, a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...this trace cross-sectional image $L(s, \theta; t)$ is an image obtained by cutting said time-space image $I(x, y; t)$ with a helix plane along the movement direction of the object. This plane completely contains the information pertaining to the movement of the object...”, where an attribute value, such as the proportional difference in the position of the object over time, is tracked and presented in a synthesized image that displays the movement of the object as imaged in second, or subsequent consecutively captured images over a time interval, Fig. 5); and

forming new moving images by sequentially outputting at least the first and second frames formed in the synthesizing along a time axis (¶0015 lines 1-5: “When there are plural moving objects in the cross-sectional images, plural groups of the cross-sectional images are prepared corresponding to the respective objects, to get the trace cross-sectional image for each object.” and ¶0012 lines 1-2 and 8-11: “On said cross-sectional image $C(d, t; \theta)$, a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...this trace cross-sectional image...is an image obtained by cutting said time-space image

Art Unit: 2628

I(x, y; t)...This plane completely contains the information pertaining to the movement of the object..." and is illustrated in Fig. 3: axis T, in which output of several synthesized images is provided to enable a user to animate the movement of several objects in a sequence of images across the time axis T through generation of several synthesized images for each group that corresponds to an object in sequence of images, whereby a special effect may then be visualized showing the movement of several objects present in the sequence of images).

Regarding claims 22 and 24, Seki describes an image generating apparatus which includes an image memory, an image conversion unit and an image data output unit (§0011 lines 1-3: "...a camcorder is used to take the consecutive images that are input to an image processor...as shown in Figure 1, as the images...are represented...", in which an image pickup apparatus enables captured images, thereby stored on memory within the apparatus, to enable image display conversion processing enabling the images to be output, as recited in claims 22 and 24), and a computer readable medium encoded with a computer program (§0011 lines 1-3: "...a camcorder is used to take the consecutive images that are input to an image processor...as shown in Figure 1, as the images...are represented...", Fig. 4, stores a program to execute the image generation, Fig. 4, as recited in the preamble of claim 41),

wherein said image memory (§0011 lines 1-2: "As shown in Fig. 1, for example, a camcorder is used to take the consecutive images that are input to an image processor.", in which the images are collected by an image pickup device and are thereby stored in an image memory, as disclosed in claims 22 and 24), records, in sequence, original moving pictures for each frame, wherein said image conversion unit determines, for each in-picture position of an image contained in a target frame (§0012 lines 1-2 and 8-11: "On said cross-sectional image

Art Unit: 2628

C(d, t; \theta), a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...this trace cross-sectional image L(s, \theta; t) is an image obtained by cutting said time-space image I(x, y; t) with a helix plane along the movement direction of the object. This plane completely contains the information pertaining to the movement of the object...“, wherein for the successive frames, the position of an object in image is tracked, Fig. 4), a plurality of frames at predetermined time intervals from the frames recorded in said image memory (¶0013 lines 1-2: “...all of the consecutive images within a prescribed time are obtained beforehand.”, where frames are captured over a predetermined time interval, that enables the time intervals between the frames to be predetermined, Fig. 2),

wherein said image conversion unit reads out, from the plurality of frames, data that correspond to the in-picture position and synthesizes the data in a ratio according to an attribute value (¶0012 lines 1-2 and 6-11: “...a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...This is called trace cross-sectional image L(s, \theta; t), and it is found that this image becomes a place containing the velocity vector of the moving object...This plane completely contains the information pertaining to the movement of the object...“, where a certain region from all the frames is captured, as shown in Fig. 4, where an attribute value, such as the proportional difference in the position of the object over time, is tracked and presented in a synthesized image that displays the movement of the object over a time interval, Fig. 5), and

wherein said image data output unit sequentially outputs the synthesized and reconstructed image data along a time axis (¶0015 lines 1-5: “When there are plural moving objects in the cross-sectional images, plural groups of the cross-sectional images are prepared

Art Unit: 2628

corresponding to the respective objects, to get the trace cross-sectional image for each object.”

and ¶0012 lines 1-2 and 8-11: *“On said cross-sectional image $C(d, t; \theta)$, a portion of the image of moving object (21) contained in the original consecutive images must appear as...an image obtained by cutting said time-space image $I(x, y; t)$...This plane completely contains the information pertaining to the movement of the object...”* and is illustrated in Fig. 3: *axis T, in which output of several synthesized images is provided to enable a user to animate the movement of several objects in a sequence of images across the time axis T through generation of several synthesized images for each group that corresponds to an object in sequence of images, whereby a special effect may then be visualized showing the movement of several objects present in the sequence of images).*

Regarding claim 25, Seki describes that the target frame or at least one of frames is at least one of a previous frame in time or a subsequent frame in time with respect to a reference frame which should have been naturally outputted by said image data output unit from said image memory (¶0006 lines 6-7: *“...all of the consecutive images over a prescribed time are set side-by-side in time to form a three-dimensional time-space image...”*, where the frames are successively located along a time axis, enabling a particular frame that is presently analyzed to have a frame from the past in reference to a current frame).

Regarding claim 26, Seki describes that for each in-picture position of the images contained in the target frame, the image conversion unit or processor adds a predetermined pixel value in accordance with an attribute value thereof (¶0016 lines 3-7: *“...cutting of the initial time-space image is performed in all directions...the cutting plane is made of a helix plane along the movement trace of the object, and this plane completely contains the movement vector of the*

Art Unit: 2628

object, and it contains all of the information about the movement trace.”, where a predetermined cut is performed on the surface containing a position, or pixel value, within the frames to track the movement of the object in accordance with an attribute value, such as the specified time interval of the frames, ¶0011 lines 1-5: “...a camcorder is used to take the consecutive images...as the images at an instant (11, 12, 13) shown in Fig. 2 are represented as $I(x, y)$ with the orthogonal coordinates of X-axis and Y-axis, all of the images obtained are set side-by-side in time sequence.”).

Regarding claim 28, Seki describes an attribute value is a depth value (¶0011 lines 5-7: “...there is a time axis (T-axis) perpendicular to both X-axis and Y-axis, by setting the images along this axis, it is possible to construct the three-dimensional image shown in Fig. 3, that is, time-space image $I(x, y; t)$.”, Fig. 3).

Regarding claim 32, Seki describes an attribute value is a value that indicates a degree of change of an image area in time (¶0016 lines 3-7: “...cutting of the initial time-space image is performed in all directions...the cutting plane is made of a helix plane along the movement trace of the object, and this plane completely contains the movement vector of the object, and it contains all of the information about the movement trace.”).

Regarding claim 34, Seki describes the attribute value is a pixel value (¶0012 lines 1-2: “...a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...only the portion containing angle θ_d is extracted from each cross-sectional image $C(d, t; \theta)$, and a new image is formed.”, where the position of the pixel with the image frame is tracked over a time interval).

Regarding claim 36, Seki describes acquiring, as moving pictures, images shot by a camera and sending image to image memory (¶0011 lines 1-2: “...a camcorder is used to take the consecutive images that are input to an image processor.”, where the teachings of Seki provide an image input unit which acquires, as the original moving pictures, image shot by a camera and sends the images to a camcorder, thereby containing an internal image memory).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 37-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Seki in view of Fels et al.(hereinafter “Fels”, “*Techniques for Interactive Video Cubism*”).

Regarding claim 37, Seki fails to teach a setting input unit which acquires, via a user operation, input of a setting value used to determine the at least one of frames, wherein said image conversion unit determines the at least one of frames according to the setting value acquired by said setting input unit. Fels teaches a setting input unit and image conversion unit (sec. 1 1st ¶ lines 1-3: “Using the mouse as a virtual trackball, the user is able to rotate or translate the entire scene, the video cube, or the cut plane.”, where a plane which corresponds with an associated frame, as shown in Fig. 1, may be selected by user input, thereby enabling one skilled in the art to understand that the input capabilities provided to the user has a functionally equivalent setting input unit, as well as an image conversion unit to process the

Art Unit: 2628

displayed images, which acquires, via user operation, input of a setting value used to determine the at least one of frames, as disclosed in sec. 1 1st ¶ lines 1-3: “Using the mouse as a virtual trackball, the user is able to rotate or translate the entire scene, the video cube, or the cut plane.”), where the image conversion unit cuts the box space by the surface defined by a function of the setting value acquired by the setting input unit (sec. 3.3.1 lines 1-2: “The cut plane allows the user to move a planar window inside the video cube and examine the corresponding imagery...”, where the three-dimensional surface is cut by a plane, Fig. 3, in which the teachings of Seki provide processed images that are therefore displayed and obtained using a functionally equivalent image conversion), therefore it would have been obvious to one of ordinary skill in the art to modify the captured frames generated by Seki with the interactive frame interaction provided by Fels because this modification would provide the ability to accurately display successive frames of animation or video collectively in a three-dimensional format in which the user may interactive with the data to define a plane by which to cut the surface of the data to define a representation of the change of the images or frames over a time interval thereby enabling temporal analysis of the data.

Regarding claim 38, Seki describes a curve that indicates a relation between coordinates of points contained in the two-dimensional images and time values thereof and a variable of the function is displayed on a screen (¶0012 lines 1-11: “On said cross-sectional image $C(d, t; \theta)$, a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...the object trace on said cross-sectional image $C(d, t; \theta)$ at a certain time is determined...This is called trace cross-sectional image $L(s, \theta; t)$, and it is found that this image becomes a place containing the velocity vector of the moving object...this trace cross-sectional

Art Unit: 2628

image $L(s, \theta; t)$ is an image obtained by cutting said time-space image $I(x, y; t)$ with a helix plane along the movement direction of the object.“, Fig. 5). However, Seki fails to teach a setting input unit and a setting value. Fels teaches that the input capabilities provided to the user have a corresponding input unit, therefore the provided input (sec. 1 1st ¶ lines 1-3: “*Using the mouse as a virtual trackball, the user is able to...translate...the video cube, or the cut plane.*“ and sec. 3.3.1 lines 1-2: “*The cut plane allows the user to move a planar window inside the video cube and examine the corresponding imagery...*“, in which the teachings of Seki thereby provide functionally equivalent setting of input to provide a value defining the cut surface, Fig. 4), therefore it would have been obvious to one of ordinary skill in the art to modify the captured frames generated by Seki with the interactive frame interaction provided by Fels because this modification would provide the ability to accurately display successive frames of animation or video collectively in a three-dimensional format in which the user may interactive with the data to define a plane by which to cut the surface of the data to define a representation of the change of the images or frames over a time interval thereby enabling temporal analysis of the data.

Regarding claim 39, Seki describes that based on coordinates of characteristic points in the two-dimensional images, the image conversion unit, or image processor, cuts the box space by a curve defined by a function of the coordinates of the characteristics points (¶0012 lines 1-11: “*This is called trace cross-sectional image $L(s, \theta; t)$, and it is found that this image becomes a place containing the velocity vector of the moving object. That is, this trace cross-sectional image $L(s, \theta; t)$ is an image obtained by cutting said time-space image $I(x, y; t)$ with a helix plane along the movement direction of the object*“, Fig. 5). However, Seki fails to teach a setting input unit and a setting value. Fels teaches that the input capabilities provided to the user

Art Unit: 2628

have a corresponding input unit, therefore the input (sec. 1 1st ¶ lines 1-3: *“Using the mouse as a virtual trackball, the user is able to...translate...the video cube, or the cut plane.”* and sec. 3.3.1 lines 1-2: *“The cut plane allows the user to move a planar window inside the video cube and examine the corresponding imagery...”*), in which the teachings of Seki thereby provide functionally equivalent setting of input to provide a value defining a certain portion of the cut surface, Fig. 4), therefore it would have been obvious to one of ordinary skill in the art to modify the captured frames generated by Seki with the interactive frame interaction provided by Fels because this modification would provide the ability to accurately display successive frames of animation or video collectively in a three-dimensional format in which the user may interactive with the data to define a plane by which to cut the surface of the data to define a representation of the change of the images or frames over a time interval thereby enabling temporal analysis of the data.

Claim 41 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seki in view of Okajima (US 2002/0122037).

Regarding claim 41, Seki teaches recording, in sequence, original moving pictures for each frame, determining, for each in-picture position of an image contained in a target frame (¶0012 lines 1-2 and 8-11: *“On said cross-sectional image $C(d, t; \theta)$, a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...this trace cross-sectional image $L(s, \theta; t)$ is an image obtained by cutting said time-space image $I(x, y; t)$ with a helix plane along the movement direction of the object. This plane completely contains the information pertaining to the movement of the object...”*), wherein for the successive

Art Unit: 2628

frames, the position of an object in image is tracked, Fig. 4), a plurality of frames at predetermined time intervals from the frames recorded in said image memory (¶0013 lines 1-2: "...all of the consecutive images within a prescribed time are obtained beforehand.", where frames are captured over a predetermined time interval, therefore the time intervals between the frames is predetermined, Fig. 2),

wherein said image conversion unit reads out, from the plurality of frames, data that correspond to the in-picture position and synthesizes the data in a ratio according to an attribute value (¶0012 lines 1-2 and 6-11: *"...a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...This is called trace cross-sectional image $L(s, \theta; t)$, and it is found that this image becomes a plane containing the velocity vector of the moving object...This plane completely contains the information pertaining to the movement of the object..."*, where a certain region from all the frames is captured, as shown in Fig. 4, where an attribute value, such as the proportional difference in the position of the object over time, is tracked and presented in a synthesized image that displays the movement of the object over a time interval, Fig. 5), and

wherein said image data output unit sequentially outputs the synthesized and reconstructed image data along a time axis (¶0015 lines 1-5: *"When there are plural moving objects in the cross-sectional images, plural groups of the cross-sectional images are prepared corresponding to the respective objects, to get the trace cross-sectional image for each object."* and ¶0012 lines 1-2 and 8-11: *"On said cross-sectional image $C(d, t; \theta)$, a portion of the image of moving object (21) contained in the original consecutive images must appear as...an image obtained by cutting said time-space image $I(x, y; t)$...This plane completely contains the*

Art Unit: 2628

information pertaining to the movement of the object...“ and is illustrated in Fig. 3: axis T, in which output of several synthesized images is provided to enable a user to animate the movement of several objects in a sequence of images across the time axis T through generation of several synthesized images for each group that corresponds to an object in sequence of images, whereby a special effect may then be visualized showing the movement of several objects present in the sequence of images), however Seki fails to teach a computer readable medium encoded with a computer program. Okajima teaches a computer readable medium encoded with a computer program (¶0043 lines 4-5: “...program recorded in a storage medium...“). Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to combine the image synthesis processing of Seki with the computer readable medium of Okajima because this modification enables execution of the synthesized images on a variety of computer systems through storage of the program or software utilized to implement the image synthesis on a memory that ensures portable and transferable execution of the stored computer software on a medium readable by a computer.

Response to Arguments

Applicant's arguments filed 11/13/08 have been fully considered but they are not persuasive.

The applicant argues on pg. 12 2nd ¶ line 2 - 3rd ¶ line 8 of the remarks that Seki certainly does not teach forming new moving pictures by sequentially outputting at least the first and second frames formed in said synthesizing along a time axis, and fails to teach or suggest the output of moving pictures along a time axis. However, Seki teaches outputting at least a first

Art Unit: 2628

second frame formed in synthesizing (¶0012 lines 1-11: “*On said cross-sectional image...a portion of the image of moving object (21) contained in the original consecutive images must appear as the trace...as shown in Figure 5...and a new image is formed...*”, where a sequential first, second or other subsequent images are combined and synthesized to form a new image L shown in Fig. 5, enabling the synthesis of any plurality of images, such as shown in Fig. 5, to successively generate more L images because the output of several synthesized images would enable a user to animate the movement of several objects in a sequence of images through generation of several synthesized images for each group of objects, each corresponding to an object in sequence of images, as described in ¶0015 lines 1-5: “*When there are plural moving objects in the cross-sectional images, plural groups of the cross-sectional images are prepared corresponding to the respective objects...*”), in which moving pictures are output along a time axis (¶0011 lines 4-11: “*...all of the images are obtained...in time sequence...the image appearing on the cut plane is taken as cross-sectional image C ...plural cross-sectional images $C(d, t; \theta)$ can be obtained...*”, in which several pictures are output along the axis T , as illustrated in Fig. 5, enabling several sequential frames to be output sequentially with respect to time causing generation of picture images that move along a time axis).

The applicant argues on pg. 12 4th ¶ line 2 - 5th ¶ line 8 of the remarks that Seki does not discloses or suggests outputting moving pictures and therefore teaches away from forming new moving pictures by sequentially outputting at least the first and second frames formed in said synthesizing along a time axis. However, Seki teaches that a sequence of a first, second, and any subsequent plurality of pictures are output to form new pictures of movement (¶0011 lines 4-11: “*...all of the images are obtained...in time sequence...plural cross-sectional images $C(d, t; \theta)$*

Art Unit: 2628

can be obtained... “ and ¶0016 lines 3-7: “...the movement trace of the object...completely contains the movement vector of the object, and...all of the information about the movement trace.”), in which the pictures are synthesized along a time axis (¶0012 lines 1-11: “...moving object...is called trace cross-sectional image $L(s, \theta; t)$...this image...containing the velocity vector of the moving object...completely contains the information pertaining to the movement of the object...“, where a synthesized image that displays the movement of the object as imaged in first, second, and subsequent consecutively captured images over a time interval, as shown in Fig. 3: axis T).

The applicant argues on pg. 13 3rd ¶ lines 1-3 of the remarks that the rejections of claims 37-39 should also be withdrawn for at least the same reasons provided in applicant's remarks due to their dependence on amended independent claim 22. However, Seki teaches the claimed limitations of claim 22, therefore the 35 U.S.C. rejection of claims 37-39 has been maintained.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SAID BROOME whose telephone number is (571)272-2931.

The examiner can normally be reached on M-F 8:30am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ulka Chauhan can be reached on (571)272-7782. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2628

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Said Broome/
Examiner, Art Unit 2628

/XIAO M. WU/

Supervisory Patent Examiner, Art Unit 2628